



June 19, 2025

Maureen Doherty
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

RE: Project: Valley Central - Montgomery ES
Pace Project No.: 70359027

Dear Maureen Doherty:

Enclosed are the analytical results for sample(s) received by the laboratory on June 06, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Newburgh

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Felicia Morgan-Nichols
felicia.morgan-nichols@pacelabs.com
(845)562-0890
Project Manager

Enclosures

cc: Mikayla Higgins, Orange-Ulster BOCES
Ashley Kimiecik, Orange-Ulster BOCES
Juliana Lennon, Orange-Ulster BOCES
Halina Redner, Orange-Ulster BOCES



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Pace Analytical Services, LLC- Newburgh, NY

315 Fullerton Avenue, Newburgh, NY 12550

New York Certification #: 10142 Primary Accrediting Body

New Jersey Certification #: NY015

Connecticut Certification #: PH-0823

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: Valley Central - Montgomery ES
Pace Project No.: 70359027

Method: EPA 200.8, Rev. 5.4
Description: NB 200.8 ICPMS DW No Prep
Client: Orange-Ulster BOCES
Date: June 19, 2025

General Information:

60 samples were analyzed for EPA 200.8, Rev. 5.4 by Pace Analytical Services Newburgh. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 111		Lab ID: 70359027001	Collected: 06/06/25 06:16	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	7.7	ug/L	1.0	1		06/18/25 19:49	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: CS 110		Lab ID: 70359027002	Collected: 06/06/25 06:17	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	21.2	ug/L	1.0	1		06/18/25 19:58	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

Sample: Kitchen Wall Sink Right		Lab ID: 70359027003	Collected: 06/06/25 06:25	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	18.6	ug/L	1.0	1		06/18/25 20:05	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

Sample: Library BS		Lab ID: 70359027004	Collected: 06/06/25 05:52	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	6.9	ug/L	1.0	1		06/18/25 20:07	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: Library Office Sink		Lab ID: 70359027005	Collected: 06/06/25 05:53	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	27.7	ug/L	1.0	1		06/18/25 20:09	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 109		Lab ID: 70359027006	Collected: 06/06/25 06:18	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	60.6	ug/L	1.0	1		06/18/25 20:11	7439-92-1	
Sample: Teachers Breakroom 108 Sink		Lab ID: 70359027007	Collected: 06/06/25 06:20	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	2.8	ug/L	1.0	1		06/18/25 20:14	7439-92-1	
Sample: CS 105 left		Lab ID: 70359027008	Collected: 06/06/25 06:31	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	2.6	ug/L	1.0	1		06/18/25 20:16	7439-92-1	
Sample: CS 105 Right		Lab ID: 70359027009	Collected: 06/06/25 06:32	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	4.2	ug/L	1.0	1		06/18/25 20:18	7439-92-1	
Sample: CU BF by 104		Lab ID: 70359027010	Collected: 06/06/25 06:34	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	ND	ug/L	1.0	1		06/18/25 20:20	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: B in 116		Lab ID: 70359027011		Collected: 06/06/25 06:02		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	4.0	ug/L	1.0	1		06/18/25 20:23	7439-92-1		
Sample: CS 115		Lab ID: 70359027012		Collected: 06/06/25 06:04		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	14.6	ug/L	1.0	1		06/18/25 20:32	7439-92-1		
Sample: Kitchen Wall Sink left		Lab ID: 70359027013		Collected: 06/06/25 06:23		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	21.2	ug/L	1.0	1		06/18/25 20:34	7439-92-1		
Sample: B by 114 left		Lab ID: 70359027014		Collected: 06/06/25 06:06		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 20:37	7439-92-1		
Sample: B by 114 right		Lab ID: 70359027015		Collected: 06/06/25 06:07		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	17.6	ug/L	1.0	1		06/18/25 20:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 114		Lab ID: 70359027016		Collected: 06/06/25 06:10		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	17.7	ug/L	1.0	1		06/18/25 20:41	7439-92-1		
Sample: B in 114		Lab ID: 70359027017		Collected: 06/06/25 06:11		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	20.0	ug/L	1.0	1		06/18/25 20:43	7439-92-1		
Sample: CS 113		Lab ID: 70359027018		Collected: 06/06/25 06:12		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	11.3	ug/L	1.0	1		06/18/25 20:46	7439-92-1		
Sample: CS 112		Lab ID: 70359027019		Collected: 06/06/25 06:13		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	6.1	ug/L	1.0	1		06/18/25 20:48	7439-92-1		
Sample: CU DF by 104		Lab ID: 70359027020		Collected: 06/06/25 06:35		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 20:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: Kitchen Island Sink		Lab ID: 70359027021		Collected: 06/06/25 06:26		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	4.7	ug/L	1.0	1		06/18/25 21:02	7439-92-1		
Sample: Nurse BS 101		Lab ID: 70359027022		Collected: 06/06/25 07:00		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	2.4	ug/L	1.0	1		06/18/25 21:11	7439-92-1		
Sample: Nurse 101 exam room sink		Lab ID: 70359027023		Collected: 06/06/25 06:59		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	11.7	ug/L	1.0	1		06/18/25 21:13	7439-92-1		
Sample: CU BF by main office		Lab ID: 70359027024		Collected: 06/06/25 06:56		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 21:15	7439-92-1		
Sample: Kitchen pot filler		Lab ID: 70359027025		Collected: 06/06/25 06:27		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	2.3	ug/L	1.0	1		06/18/25 21:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CU DF by main office		Lab ID: 70359027026		Collected: 06/06/25 06:57		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 21:20	7439-92-1		
Sample: Main office sink		Lab ID: 70359027027		Collected: 06/06/25 06:57		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	6.8	ug/L	1.0	1		06/18/25 21:27	7439-92-1		
Sample: CS 128		Lab ID: 70359027028		Collected: 06/06/25 06:54		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	7.6	ug/L	1.0	1		06/18/25 21:29	7439-92-1		
Sample: by 127 BF		Lab ID: 70359027029		Collected: 06/06/25 06:48		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 21:31	7439-92-1		
Sample: CS 126		Lab ID: 70359027030		Collected: 06/06/25 06:46		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	1.9	ug/L	1.0	1		06/18/25 21:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 125 left		Lab ID: 70359027031	Collected: 06/06/25 06:42	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	4.9	ug/L	1.0	1		06/18/25 21:36	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: CS 125 right		Lab ID: 70359027032	Collected: 06/06/25 06:42	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	2.8	ug/L	1.0	1		06/18/25 21:41	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: B in 125		Lab ID: 70359027033	Collected: 06/06/25 06:45	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	10.8	ug/L	1.0	1		06/18/25 21:43	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

Sample: CS 124		Lab ID: 70359027034	Collected: 06/06/25 06:38	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	4.6	ug/L	1.0	1		06/18/25 21:45	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: CS 123		Lab ID: 70359027035	Collected: 06/06/25 06:37	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	5.1	ug/L	1.0	1		06/18/25 21:47	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 214		Lab ID: 70359027036		Collected: 06/06/25 07:03		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	11.7	ug/L	1.0	1		06/18/25 21:54	7439-92-1
------	------	------	-----	---	--	----------------	-----------

Sample: CU BF by 213		Lab ID: 70359027037		Collected: 06/06/25 07:05		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		06/18/25 21:57	7439-92-1
------	----	------	-----	---	--	----------------	-----------

Sample: CU DF by 213		Lab ID: 70359027038		Collected: 06/06/25 07:07		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		06/18/25 21:59	7439-92-1
------	----	------	-----	---	--	----------------	-----------

Sample: CS 213		Lab ID: 70359027039		Collected: 06/06/25 07:09		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	6.5	ug/L	1.0	1		06/18/25 22:01	7439-92-1
------	-----	------	-----	---	--	----------------	-----------

Sample: CS 212		Lab ID: 70359027040		Collected: 06/06/25 07:11		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	11.3	ug/L	1.0	1		06/18/25 22:04	7439-92-1
------	------	------	-----	---	--	----------------	-----------

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CU BF Cafeteria		Lab ID: 70359027041	Collected: 06/06/25 05:42	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		06/18/25 22:10	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: CS 209		Lab ID: 70359027042	Collected: 06/06/25 07:12	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	4.1	ug/L	1.0	1		06/18/25 22:24	7439-92-1	
------	-----	------	-----	---	--	----------------	-----------	--

Sample: CS 207		Lab ID: 70359027043	Collected: 06/06/25 07:15	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	57.2	ug/L	1.0	1		06/18/25 22:26	7439-92-1	
------	------	------	-----	---	--	----------------	-----------	--

Sample: DF by 205		Lab ID: 70359027044	Collected: 06/06/25 07:18	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		06/18/25 22:29	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

Sample: CU DF Cafeteria		Lab ID: 70359027045	Collected: 06/06/25 05:41	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

NB 200.8 ICPMS DW No Prep
Analytical Method: EPA 200.8, Rev. 5.4
Pace Analytical Services - Newburgh

Lead	ND	ug/L	1.0	1		06/18/25 22:31	7439-92-1	
------	----	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 202		Lab ID: 70359027046		Collected: 06/06/25 07:21		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	23.5	ug/L	1.0	1		06/18/25 22:33	7439-92-1		

Sample: Custodial Office 1st Floor Sin		Lab ID: 70359027047		Collected: 06/06/25 05:38		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	29.7	ug/L	1.0	1		06/18/25 22:36	7439-92-1		

Sample: CU BF by 121		Lab ID: 70359027048		Collected: 06/06/25 05:43		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 22:38	7439-92-1		

Sample: CU DF by 121		Lab ID: 70359027049		Collected: 06/06/25 05:44		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 22:40	7439-92-1		

Sample: CS 120		Lab ID: 70359027050		Collected: 06/06/25 05:45		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	3.0	ug/L	1.0	1		06/18/25 22:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: B in 120		Lab ID: 70359027051	Collected: 06/06/25 05:46	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	13.0	ug/L	1.0	1		06/18/25 22:49	7439-92-1	
Sample: CS 119		Lab ID: 70359027052	Collected: 06/06/25 05:48	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	8.9	ug/L	1.0	1		06/18/25 22:54	7439-92-1	
Sample: CS 118		Lab ID: 70359027053	Collected: 06/06/25 05:56	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	14.6	ug/L	1.0	1		06/18/25 22:56	7439-92-1	
Sample: Band Rm Sink		Lab ID: 70359027054	Collected: 06/06/25 06:21	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	39.0	ug/L	1.0	1		06/18/25 22:59	7439-92-1	
Sample: CS 117		Lab ID: 70359027055	Collected: 06/06/25 05:58	Received: 06/06/25 12:04	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh						
Lead	6.3	ug/L	1.0	1		06/18/25 23:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Sample: CS 116		Lab ID: 70359027056		Collected: 06/06/25 06:00		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	5.3	ug/L	1.0	1		06/18/25 23:03	7439-92-1		
Sample: BF by 114		Lab ID: 70359027057		Collected: 06/06/25 06:08		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 23:06	7439-92-1		
Sample: CU DF by 127		Lab ID: 70359027058		Collected: 06/06/25 06:52		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 23:08	7439-92-1		
Sample: BF by 205		Lab ID: 70359027059		Collected: 06/06/25 07:19		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	ND	ug/L	1.0	1		06/18/25 23:10	7439-92-1		
Sample: 119 B		Lab ID: 70359027060		Collected: 06/06/25 05:50		Received: 06/06/25 12:04		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
NB 200.8 ICPMS DW No Prep		Analytical Method: EPA 200.8, Rev. 5.4 Pace Analytical Services - Newburgh							
Lead	9.4	ug/L	1.0	1		06/18/25 23:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

QC Batch:	405144	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70359027001, 70359027002, 70359027003, 70359027004, 70359027005, 70359027006, 70359027007, 70359027008, 70359027009, 70359027010, 70359027011, 70359027012, 70359027013, 70359027014, 70359027015, 70359027016, 70359027017, 70359027018, 70359027019, 70359027020		

METHOD BLANK:	2144434	Matrix:	Water
Associated Lab Samples:	70359027001, 70359027002, 70359027003, 70359027004, 70359027005, 70359027006, 70359027007, 70359027008, 70359027009, 70359027010, 70359027011, 70359027012, 70359027013, 70359027014, 70359027015, 70359027016, 70359027017, 70359027018, 70359027019, 70359027020		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	06/18/25 19:44	

LABORATORY CONTROL SAMPLE:	2144435					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.0	96	85-115	

MATRIX SPIKE SAMPLE:		2144437					
		70359027001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	7.7	50	59.2	103	70-130	

MATRIX SPIKE SAMPLE:		2144448					
		70359027011	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4.0	50	55.0	102	70-130	

SAMPLE DUPLICATE:	2144436				
Parameter	Units	70359027001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	7.7	7.6	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

QC Batch:	405149	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70359027021, 70359027022, 70359027023, 70359027024, 70359027025, 70359027026, 70359027027, 70359027028, 70359027029, 70359027030, 70359027031, 70359027032, 70359027033, 70359027034, 70359027035, 70359027036, 70359027037, 70359027038, 70359027039, 70359027040		

METHOD BLANK:	2144481	Matrix:	Water
Associated Lab Samples:	70359027021, 70359027022, 70359027023, 70359027024, 70359027025, 70359027026, 70359027027, 70359027028, 70359027029, 70359027030, 70359027031, 70359027032, 70359027033, 70359027034, 70359027035, 70359027036, 70359027037, 70359027038, 70359027039, 70359027040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	06/18/25 20:53	

LABORATORY CONTROL SAMPLE:	2144482					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.8	100	85-115	

MATRIX SPIKE SAMPLE:		2144484					
		70359027021	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4.7	50	55.9	102	70-130	

MATRIX SPIKE SAMPLE:		2144486					
		70359027031	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4.9	50	57.1	104	70-130	

SAMPLE DUPLICATE:	2144483				
Parameter	Units	70359027021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4.7	4.6	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

QC Batch:	405151	Analysis Method:	EPA 200.8, Rev. 5.4
QC Batch Method:	EPA 200.8, Rev. 5.4	Analysis Description:	NB 200.8 ICPMS DW No Prep
		Laboratory:	Pace Analytical Services - Newburgh
Associated Lab Samples:	70359027041, 70359027042, 70359027043, 70359027044, 70359027045, 70359027046, 70359027047, 70359027048, 70359027049, 70359027050, 70359027051, 70359027052, 70359027053, 70359027054, 70359027055, 70359027056, 70359027057, 70359027058, 70359027059, 70359027060		

METHOD BLANK:	2144494	Matrix:	Water
Associated Lab Samples:	70359027041, 70359027042, 70359027043, 70359027044, 70359027045, 70359027046, 70359027047, 70359027048, 70359027049, 70359027050, 70359027051, 70359027052, 70359027053, 70359027054, 70359027055, 70359027056, 70359027057, 70359027058, 70359027059, 70359027060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	1.0	06/18/25 22:06	

LABORATORY CONTROL SAMPLE:	2144495					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.7	99	85-115	

MATRIX SPIKE SAMPLE:		2144497					
		70359027041	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	ND	50	52.2	104	70-130	

MATRIX SPIKE SAMPLE:		2144499					
		70359027051	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	13.0	50	64.8	104	70-130	

SAMPLE DUPLICATE: 2144496					
		70359027041	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Valley Central - Montgomery ES
Pace Project No.: 70359027

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70359027001	CS 111	EPA 200.8, Rev. 5.4	405144		
70359027002	CS 110	EPA 200.8, Rev. 5.4	405144		
70359027003	Kitchen Wall Sink Right	EPA 200.8, Rev. 5.4	405144		
70359027004	Library BS	EPA 200.8, Rev. 5.4	405144		
70359027005	Library Office Sink	EPA 200.8, Rev. 5.4	405144		
70359027006	CS 109	EPA 200.8, Rev. 5.4	405144		
70359027007	Teachers Breakroom 108 Sink	EPA 200.8, Rev. 5.4	405144		
70359027008	CS 105 left	EPA 200.8, Rev. 5.4	405144		
70359027009	CS 105 Right	EPA 200.8, Rev. 5.4	405144		
70359027010	CU BF by 104	EPA 200.8, Rev. 5.4	405144		
70359027011	B in 116	EPA 200.8, Rev. 5.4	405144		
70359027012	CS 115	EPA 200.8, Rev. 5.4	405144		
70359027013	Kitchen Wall Sink left	EPA 200.8, Rev. 5.4	405144		
70359027014	B by 114 left	EPA 200.8, Rev. 5.4	405144		
70359027015	B by 114 right	EPA 200.8, Rev. 5.4	405144		
70359027016	CS 114	EPA 200.8, Rev. 5.4	405144		
70359027017	B in 114	EPA 200.8, Rev. 5.4	405144		
70359027018	CS 113	EPA 200.8, Rev. 5.4	405144		
70359027019	CS 112	EPA 200.8, Rev. 5.4	405144		
70359027020	CU DF by 104	EPA 200.8, Rev. 5.4	405144		
70359027021	Kitchen Island Sink	EPA 200.8, Rev. 5.4	405149		
70359027022	Nurse BS 101	EPA 200.8, Rev. 5.4	405149		
70359027023	Nurse 101 exam room sink	EPA 200.8, Rev. 5.4	405149		
70359027024	CU BF by main office	EPA 200.8, Rev. 5.4	405149		
70359027025	Kitchen pot filler	EPA 200.8, Rev. 5.4	405149		
70359027026	CU DF by main office	EPA 200.8, Rev. 5.4	405149		
70359027027	Main office sink	EPA 200.8, Rev. 5.4	405149		
70359027028	CS 128	EPA 200.8, Rev. 5.4	405149		
70359027029	by 127 BF	EPA 200.8, Rev. 5.4	405149		
70359027030	CS 126	EPA 200.8, Rev. 5.4	405149		
70359027031	CS 125 left	EPA 200.8, Rev. 5.4	405149		
70359027032	CS 125 right	EPA 200.8, Rev. 5.4	405149		
70359027033	B in 125	EPA 200.8, Rev. 5.4	405149		
70359027034	CS 124	EPA 200.8, Rev. 5.4	405149		
70359027035	CS 123	EPA 200.8, Rev. 5.4	405149		
70359027036	CS 214	EPA 200.8, Rev. 5.4	405149		
70359027037	CU BF by 213	EPA 200.8, Rev. 5.4	405149		
70359027038	CU DF by 213	EPA 200.8, Rev. 5.4	405149		
70359027039	CS 213	EPA 200.8, Rev. 5.4	405149		
70359027040	CS 212	EPA 200.8, Rev. 5.4	405149		
70359027041	CU BF Cafeteria	EPA 200.8, Rev. 5.4	405151		
70359027042	CS 209	EPA 200.8, Rev. 5.4	405151		
70359027043	CS 207	EPA 200.8, Rev. 5.4	405151		
70359027044	DF by 205	EPA 200.8, Rev. 5.4	405151		
70359027045	CU DF Cafeteria	EPA 200.8, Rev. 5.4	405151		
70359027046	CS 202	EPA 200.8, Rev. 5.4	405151		
70359027047	Custodial Office 1st Floor Sin	EPA 200.8, Rev. 5.4	405151		
70359027048	CU BF by 121	EPA 200.8, Rev. 5.4	405151		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Valley Central - Montgomery ES

Pace Project No.: 70359027

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70359027049	CU DF by 121	EPA 200.8, Rev. 5.4	405151		
70359027050	CS 120	EPA 200.8, Rev. 5.4	405151		
70359027051	B in 120	EPA 200.8, Rev. 5.4	405151		
70359027052	CS 119	EPA 200.8, Rev. 5.4	405151		
70359027053	CS 118	EPA 200.8, Rev. 5.4	405151		
70359027054	Band Rm Sink	EPA 200.8, Rev. 5.4	405151		
70359027055	CS 117	EPA 200.8, Rev. 5.4	405151		
70359027056	CS 116	EPA 200.8, Rev. 5.4	405151		
70359027057	BF by 114	EPA 200.8, Rev. 5.4	405151		
70359027058	CU DF by 127	EPA 200.8, Rev. 5.4	405151		
70359027059	BF by 205	EPA 200.8, Rev. 5.4	405151		
70359027060	119 B	EPA 200.8, Rev. 5.4	405151		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: **Orange-Ulster BOCES**
Street Address: **53 Gibson Road**
Goshen, NY 10924
Contract/Report To: **Maureen Doherty**
Phone #: **845-781-4887**
E-Mail: **Maureen.Doherty@oubooces.org**
Cc E-Mail: **Halina.Redner@oubooces.org**

Customer Project #: **Valley Central - Montgomery ES**
Project Name: **Valley Central - Montgomery ES**
Site collection info/facility ID (as applicable): **Montgomery ES**
Invoice Email: **halina.redner@oubooces.org**
Purchase Order # (if applicable): **A25-00001**
Quote #: **A25-00001**

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET
County / State origin of sample(s): **Orange County / New York**
Data Deliverables: ☐ Level II ☐ Level III ☐ Level IV
☐ EQUIS
☐ Other: **Requested:**
Regulatory Program (DW, RCRA, etc.) as applicable: **Reportable ☐ Yes ☐ No**
Rush (Pre-approval required): ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other: **DW PYSID # or WWP Permit # as applicable:**
Date Results: **Field Filtered (if applicable): ☐ Yes ☐ No**
Analysis: **Analysis:**

*Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (O), Wipe (WP), Tissue (TS), Biosolid (BS), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cask (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix*	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
1 CS 111	DW	G	6/6/2025	6:16	6/6/2025	6:16	1		
2 CS 110	DW	G	6/6/2025	6:17	6/6/2025	6:17	1		
3 Kitchen wall sink right	DW	G	6/6/2025	6:25	6/6/2025	6:25	1		
4 Library BS	DW	G	6/6/2025	6:52	6/6/2025	6:52	1		
5 Library office sink	DW	G	6/6/2025	6:53	6/6/2025	6:53	1		
6 CS 109	DW	G	6/6/2025	6:18	6/6/2025	6:18	1		
7 Teachers breakroom 108 sink	DW	G	6/6/2025	6:20	6/6/2025	6:20	1		
8 CS 105 left	DW	G	6/6/2025	6:31	6/6/2025	6:31	1		
9 CS 105 right	DW	G	6/6/2025	6:32	6/6/2025	6:32	1		
10 CU BF by 104	DW	G	6/6/2025	6:34	6/6/2025	6:34	1		

Additional Instructions from Pace®:

Collected by: **Mikayla Higgins**
Printed Name: **Mikayla Higgins**
Signature: **Mikayla Higgins**

Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
Mikayla Higgins	6/6/25 12:04	Mikayla Higgins	6/6/2024				
Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

W0#: 70359027

70359027

Specify Container Size**
3
Identify Container Preservative Type**
2
Analysis Requested

***Container Size: (1) 1L, (2) 250mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) 10mL, (8) 5mL, (9) 1mL, (10) Other
***Preservative Type: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) 20 Acetate, (7) NaHSO4, (8) Sediment, (9) Ascorbic Acid, (10) MeOH, (11) Other

Proj. Mgr:
AccNum / Client ID:
Table #:
Profile / Template:
Prelg / Bottle Ord. ID:
11266

Sample Comment

Preservation non-conformance identified for sample.

PACE® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES
Street Address: 53 Gibson Road
Goshen, NY 10924
Contact/Report To: Maureen Doherty
Phone #: 845-781-4987
E-Mail: Maureen.Doherty@oubooces.org
CC E-Mail: Halina.Redner@oubooces.org

Customer Project #: Valley Central - Montgomery ES
Project Name: Montgomery ES
Site Collection Info/Facility ID (as applicable):
Invoice to: Halina Redner
Invoice E-mail: halina.redner@oubooces.org
Purchase Order # (if applicable): A24003007
Quote #: R25-00001

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET
County/State origin of sample(s): Orange County / New York

Data Deliverables: ☐ Level II ☐ Level III ☐ Level IV
☐ EQUIS
☐ Other: _____
Regulatory Program (DW, RCRA, etc.) as applicable: ☒ Er
Rush (Pre-approval required): ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other _____
Date Results Requested: _____
Analysis: _____
DW PWSID # or WW Permit # as applicable: _____
Field Filtered (if applicable): ☐ Yes ☐ No

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Waste (WF), Tissue (TS), Biossary (B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Cook (CK), Leachate (L), Biosolid (BS), Other (OT)

Customer Sample ID	Mark *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
11 B in 116	DW	G	6/6/2025	6:02	1				
12 CS 115	DW	G	6/6/2025	6:04	1				
13 B in 115	DW	G	6/6/2025	6:04	1				
13 Kitchen Wall Sink left	DW	G	6/6/2025	6:23	1				
14 B by 114 left	DW	G	6/6/2025	6:06	1				
15 B by 114 right	DW	G	6/6/2025	6:07	1				
16 CS 114	DW	G	6/6/2025	6:10	1				
17 B in 114	DW	G	6/6/2025	6:11	1				
18 CS 113	DW	G	6/6/2025	6:12	1				
19 CS 112	DW	G	6/6/2025	6:13	1				

Additional instructions from Pace®:

Collected By: M. Kayla Higgins
Printed Name: M. Kayla Higgins
Signature: *M. Kayla Higgins*
Date/Time: 6/6/25, 12:04
Received by/Company: (Signature) *M. Kayla Higgins*
Date/Time: _____
Received by/Company: (Signature) _____
Date/Time: _____
Received by/Company: (Signature) _____
Date/Time: _____

MO#: 70359027
PM: FMN Due Date: 06/20/25
CLIENT: NB-OU BOCES

Specify Container Size: ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7 ☐ 8 ☐ 9 ☐ 10 ☐ 11 ☐ 12 ☐ 13 ☐ 14 ☐ 15 ☐ 16 ☐ 17 ☐ 18 ☐ 19 ☐ 20 ☐ 21 ☐ 22 ☐ 23 ☐ 24 ☐ 25 ☐ 26 ☐ 27 ☐ 28 ☐ 29 ☐ 30 ☐ 31 ☐ 32 ☐ 33 ☐ 34 ☐ 35 ☐ 36 ☐ 37 ☐ 38 ☐ 39 ☐ 40 ☐ 41 ☐ 42 ☐ 43 ☐ 44 ☐ 45 ☐ 46 ☐ 47 ☐ 48 ☐ 49 ☐ 50 ☐ 51 ☐ 52 ☐ 53 ☐ 54 ☐ 55 ☐ 56 ☐ 57 ☐ 58 ☐ 59 ☐ 60 ☐ 61 ☐ 62 ☐ 63 ☐ 64 ☐ 65 ☐ 66 ☐ 67 ☐ 68 ☐ 69 ☐ 70 ☐ 71 ☐ 72 ☐ 73 ☐ 74 ☐ 75 ☐ 76 ☐ 77 ☐ 78 ☐ 79 ☐ 80 ☐ 81 ☐ 82 ☐ 83 ☐ 84 ☐ 85 ☐ 86 ☐ 87 ☐ 88 ☐ 89 ☐ 90 ☐ 91 ☐ 92 ☐ 93 ☐ 94 ☐ 95 ☐ 96 ☐ 97 ☐ 98 ☐ 99 ☐ 100 ☐ 101 ☐ 102 ☐ 103 ☐ 104 ☐ 105 ☐ 106 ☐ 107 ☐ 108 ☐ 109 ☐ 110 ☐ 111 ☐ 112 ☐ 113 ☐ 114 ☐ 115 ☐ 116 ☐ 117 ☐ 118 ☐ 119 ☐ 120 ☐ 121 ☐ 122 ☐ 123 ☐ 124 ☐ 125 ☐ 126 ☐ 127 ☐ 128 ☐ 129 ☐ 130 ☐ 131 ☐ 132 ☐ 133 ☐ 134 ☐ 135 ☐ 136 ☐ 137 ☐ 138 ☐ 139 ☐ 140 ☐ 141 ☐ 142 ☐ 143 ☐ 144 ☐ 145 ☐ 146 ☐ 147 ☐ 148 ☐ 149 ☐ 150 ☐ 151 ☐ 152 ☐ 153 ☐ 154 ☐ 155 ☐ 156 ☐ 157 ☐ 158 ☐ 159 ☐ 160 ☐ 161 ☐ 162 ☐ 163 ☐ 164 ☐ 165 ☐ 166 ☐ 167 ☐ 168 ☐ 169 ☐ 170 ☐ 171 ☐ 172 ☐ 173 ☐ 174 ☐ 175 ☐ 176 ☐ 177 ☐ 178 ☐ 179 ☐ 180 ☐ 181 ☐ 182 ☐ 183 ☐ 184 ☐ 185 ☐ 186 ☐ 187 ☐ 188 ☐ 189 ☐ 190 ☐ 191 ☐ 192 ☐ 193 ☐ 194 ☐ 195 ☐ 196 ☐ 197 ☐ 198 ☐ 199 ☐ 200 ☐ 201 ☐ 202 ☐ 203 ☐ 204 ☐ 205 ☐ 206 ☐ 207 ☐ 208 ☐ 209 ☐ 210 ☐ 211 ☐ 212 ☐ 213 ☐ 214 ☐ 215 ☐ 216 ☐ 217 ☐ 218 ☐ 219 ☐ 220 ☐ 221 ☐ 222 ☐ 223 ☐ 224 ☐ 225 ☐ 226 ☐ 227 ☐ 228 ☐ 229 ☐ 230 ☐ 231 ☐ 232 ☐ 233 ☐ 234 ☐ 235 ☐ 236 ☐ 237 ☐ 238 ☐ 239 ☐ 240 ☐ 241 ☐ 242 ☐ 243 ☐ 244 ☐ 245 ☐ 246 ☐ 247 ☐ 248 ☐ 249 ☐ 250 ☐ 251 ☐ 252 ☐ 253 ☐ 254 ☐ 255 ☐ 256 ☐ 257 ☐ 258 ☐ 259 ☐ 260 ☐ 261 ☐ 262 ☐ 263 ☐ 264 ☐ 265 ☐ 266 ☐ 267 ☐ 268 ☐ 269 ☐ 270 ☐ 271 ☐ 272 ☐ 273 ☐ 274 ☐ 275 ☐ 276 ☐ 277 ☐ 278 ☐ 279 ☐ 280 ☐ 281 ☐ 282 ☐ 283 ☐ 284 ☐ 285 ☐ 286 ☐ 287 ☐ 288 ☐ 289 ☐ 290 ☐ 291 ☐ 292 ☐ 293 ☐ 294 ☐ 295 ☐ 296 ☐ 297 ☐ 298 ☐ 299 ☐ 300 ☐ 301 ☐ 302 ☐ 303 ☐ 304 ☐ 305 ☐ 306 ☐ 307 ☐ 308 ☐ 309 ☐ 310 ☐ 311 ☐ 312 ☐ 313 ☐ 314 ☐ 315 ☐ 316 ☐ 317 ☐ 318 ☐ 319 ☐ 320 ☐ 321 ☐ 322 ☐ 323 ☐ 324 ☐ 325 ☐ 326 ☐ 327 ☐ 328 ☐ 329 ☐ 330 ☐ 331 ☐ 332 ☐ 333 ☐ 334 ☐ 335 ☐ 336 ☐ 337 ☐ 338 ☐ 339 ☐ 340 ☐ 341 ☐ 342 ☐ 343 ☐ 344 ☐ 345 ☐ 346 ☐ 347 ☐ 348 ☐ 349 ☐ 350 ☐ 351 ☐ 352 ☐ 353 ☐ 354 ☐ 355 ☐ 356 ☐ 357 ☐ 358 ☐ 359 ☐ 360 ☐ 361 ☐ 362 ☐ 363 ☐ 364 ☐ 365 ☐ 366 ☐ 367 ☐ 368 ☐ 369 ☐ 370 ☐ 371 ☐ 372 ☐ 373 ☐ 374 ☐ 375 ☐ 376 ☐ 377 ☐ 378 ☐ 379 ☐ 380 ☐ 381 ☐ 382 ☐ 383 ☐ 384 ☐ 385 ☐ 386 ☐ 387 ☐ 388 ☐ 389 ☐ 390 ☐ 391 ☐ 392 ☐ 393 ☐ 394 ☐ 395 ☐ 396 ☐ 397 ☐ 398 ☐ 399 ☐ 400 ☐ 401 ☐ 402 ☐ 403 ☐ 404 ☐ 405 ☐ 406 ☐ 407 ☐ 408 ☐ 409 ☐ 410 ☐ 411 ☐ 412 ☐ 413 ☐ 414 ☐ 415 ☐ 416 ☐ 417 ☐ 418 ☐ 419 ☐ 420 ☐ 421 ☐ 422 ☐ 423 ☐ 424 ☐ 425 ☐ 426 ☐ 427 ☐ 428 ☐ 429 ☐ 430 ☐ 431 ☐ 432 ☐ 433 ☐ 434 ☐ 435 ☐ 436 ☐ 437 ☐ 438 ☐ 439 ☐ 440 ☐ 441 ☐ 442 ☐ 443 ☐ 444 ☐ 445 ☐ 446 ☐ 447 ☐ 448 ☐ 449 ☐ 450 ☐ 451 ☐ 452 ☐ 453 ☐ 454 ☐ 455 ☐ 456 ☐ 457 ☐ 458 ☐ 459 ☐ 460 ☐ 461 ☐ 462 ☐ 463 ☐ 464 ☐ 465 ☐ 466 ☐ 467 ☐ 468 ☐ 469 ☐ 470 ☐ 471 ☐ 472 ☐ 473 ☐ 474 ☐ 475 ☐ 476 ☐ 477 ☐ 478 ☐ 479 ☐ 480 ☐ 481 ☐ 482 ☐ 483 ☐ 484 ☐ 485 ☐ 486 ☐ 487 ☐ 488 ☐ 489 ☐ 490 ☐ 491 ☐ 492 ☐ 493 ☐ 494 ☐ 495 ☐ 496 ☐ 497 ☐ 498 ☐ 499 ☐ 500 ☐ 501 ☐ 502 ☐ 503 ☐ 504 ☐ 505 ☐ 506 ☐ 507 ☐ 508 ☐ 509 ☐ 510 ☐ 511 ☐ 512 ☐ 513 ☐ 514 ☐ 515 ☐ 516 ☐ 517 ☐ 518 ☐ 519 ☐ 520 ☐ 521 ☐ 522 ☐ 523 ☐ 524 ☐ 525 ☐ 526 ☐ 527 ☐ 528 ☐ 529 ☐ 530 ☐ 531 ☐ 532 ☐ 533 ☐ 534 ☐ 535 ☐ 536 ☐ 537 ☐ 538 ☐ 539 ☐ 540 ☐ 541 ☐ 542 ☐ 543 ☐ 544 ☐ 545 ☐ 546 ☐ 547 ☐ 548 ☐ 549 ☐ 550 ☐ 551 ☐ 552 ☐ 553 ☐ 554 ☐ 555 ☐ 556 ☐ 557 ☐ 558 ☐ 559 ☐ 560 ☐ 561 ☐ 562 ☐ 563 ☐ 564 ☐ 565 ☐ 566 ☐ 567 ☐ 568 ☐ 569 ☐ 570 ☐ 571 ☐ 572 ☐ 573 ☐ 574 ☐ 575 ☐ 576 ☐ 577 ☐ 578 ☐ 579 ☐ 580 ☐ 581 ☐ 582 ☐ 583 ☐ 584 ☐ 585 ☐ 586 ☐ 587 ☐ 588 ☐ 589 ☐ 590 ☐ 591 ☐ 592 ☐ 593 ☐ 594 ☐ 595 ☐ 596 ☐ 597 ☐ 598 ☐ 599 ☐ 600 ☐ 601 ☐ 602 ☐ 603 ☐ 604 ☐ 605 ☐ 606 ☐ 607 ☐ 608 ☐ 609 ☐ 610 ☐ 611 ☐ 612 ☐ 613 ☐ 614 ☐ 615 ☐ 616 ☐ 617 ☐ 618 ☐ 619 ☐ 620 ☐ 621 ☐ 622 ☐ 623 ☐ 624 ☐ 625 ☐ 626 ☐ 627 ☐ 628 ☐ 629 ☐ 630 ☐ 631 ☐ 632 ☐ 633 ☐ 634 ☐ 635 ☐ 636 ☐ 637 ☐ 638 ☐ 639 ☐ 640 ☐ 641 ☐ 642 ☐ 643 ☐ 644 ☐ 645 ☐ 646 ☐ 647 ☐ 648 ☐ 649 ☐ 650 ☐ 651 ☐ 652 ☐ 653 ☐ 654 ☐ 655 ☐ 656 ☐ 657 ☐ 658 ☐ 659 ☐ 660 ☐ 661 ☐ 662 ☐ 663 ☐ 664 ☐ 665 ☐ 666 ☐ 667 ☐ 668 ☐ 669 ☐ 670 ☐ 671 ☐ 672 ☐ 673 ☐ 674 ☐ 675 ☐ 676 ☐ 677 ☐ 678 ☐ 679 ☐ 680 ☐ 681 ☐ 682 ☐ 683 ☐ 684 ☐ 685 ☐ 686 ☐ 687 ☐ 688 ☐ 689 ☐ 690 ☐ 691 ☐ 692 ☐ 693 ☐ 694 ☐ 695 ☐ 696 ☐ 697 ☐ 698 ☐ 699 ☐ 700 ☐ 701 ☐ 702 ☐ 703 ☐ 704 ☐ 705 ☐ 706 ☐ 707 ☐ 708 ☐ 709 ☐ 710 ☐ 711 ☐ 712 ☐ 713 ☐ 714 ☐ 715 ☐ 716 ☐ 717 ☐ 718 ☐ 719 ☐ 720 ☐ 721 ☐ 722 ☐ 723 ☐ 724 ☐ 725 ☐ 726 ☐ 727 ☐ 728 ☐ 729 ☐ 730 ☐ 731 ☐ 732 ☐ 733 ☐ 734 ☐ 735 ☐ 736 ☐ 737 ☐ 738 ☐ 739 ☐ 740 ☐ 741 ☐ 742 ☐ 743 ☐ 744 ☐ 745 ☐ 746 ☐ 747 ☐ 748 ☐ 749 ☐ 750 ☐ 751 ☐ 752 ☐ 753 ☐ 754 ☐ 755 ☐ 756 ☐ 757 ☐ 758 ☐ 759 ☐ 760 ☐ 761 ☐ 762 ☐ 763 ☐ 764 ☐ 765 ☐ 766 ☐ 767 ☐ 768 ☐ 769 ☐ 770 ☐ 771 ☐ 772 ☐ 773 ☐ 774 ☐ 775 ☐ 776 ☐ 777 ☐ 778 ☐ 779 ☐ 780 ☐ 781 ☐ 782 ☐ 783 ☐ 784 ☐ 785 ☐ 786 ☐ 787 ☐ 788 ☐ 789 ☐ 790 ☐ 791 ☐ 792 ☐ 793 ☐ 794 ☐ 795 ☐ 796 ☐ 797 ☐ 798 ☐ 799 ☐ 800 ☐ 801 ☐ 802 ☐ 803 ☐ 804 ☐ 805 ☐ 806 ☐ 807 ☐ 808 ☐ 809 ☐ 810 ☐ 811 ☐ 812 ☐ 813 ☐ 814 ☐ 815 ☐ 816 ☐ 817 ☐ 818 ☐ 819 ☐ 820 ☐ 821 ☐ 822 ☐ 823 ☐ 824 ☐ 825 ☐ 826 ☐ 827 ☐ 828 ☐ 829 ☐ 830 ☐ 831 ☐ 832 ☐ 833 ☐ 834 ☐ 835 ☐ 836 ☐ 837 ☐ 838 ☐ 839 ☐ 840 ☐ 841 ☐ 842 ☐ 843 ☐ 844 ☐ 845 ☐ 846 ☐ 847 ☐ 848 ☐ 849 ☐ 850 ☐ 851 ☐ 852 ☐ 853 ☐ 854 ☐ 855 ☐ 856 ☐ 857 ☐ 858 ☐ 859 ☐ 860 ☐ 861 ☐ 862 ☐ 863 ☐ 864 ☐ 865 ☐ 866 ☐ 867 ☐ 868 ☐ 869 ☐ 870 ☐ 871 ☐ 872 ☐ 873 ☐ 874 ☐ 875 ☐ 876 ☐ 877 ☐ 878 ☐ 879 ☐ 880 ☐ 881 ☐ 882 ☐ 883 ☐ 884 ☐ 885 ☐ 886 ☐ 887 ☐ 888 ☐ 889 ☐ 890 ☐ 891 ☐ 892 ☐ 893 ☐ 894 ☐ 895 ☐ 896 ☐ 897 ☐ 898 ☐ 899 ☐ 900 ☐ 901 ☐ 902 ☐ 903 ☐ 904 ☐ 905 ☐ 906 ☐ 907 ☐ 908 ☐ 909 ☐ 910 ☐ 911 ☐ 912 ☐ 913 ☐ 914 ☐ 915 ☐ 916 ☐ 917 ☐ 918 ☐ 919 ☐ 920 ☐ 921 ☐ 922 ☐ 923 ☐ 924 ☐ 925 ☐ 926 ☐ 927 ☐ 928 ☐ 929 ☐ 930 ☐ 931 ☐ 932 ☐ 933 ☐ 934 ☐ 935 ☐ 936 ☐ 937 ☐ 938 ☐ 939 ☐ 940 ☐ 941 ☐ 942 ☐ 943 ☐ 944 ☐ 945 ☐ 946 ☐ 947 ☐ 948 ☐ 949 ☐ 950 ☐ 951 ☐ 952 ☐ 953 ☐ 954 ☐ 955 ☐ 956 ☐ 957 ☐ 958 ☐ 959 ☐ 960 ☐ 961 ☐ 962 ☐ 963 ☐ 964 ☐ 965 ☐ 966 ☐ 967 ☐ 968 ☐ 969 ☐ 970 ☐ 971 ☐ 972 ☐ 973 ☐ 974 ☐ 975 ☐ 976 ☐ 977 ☐ 978 ☐ 979 ☐ 980 ☐ 981 ☐ 982 ☐ 983 ☐ 984 ☐ 985 ☐ 986 ☐ 987 ☐ 988 ☐ 989 ☐ 990 ☐ 991 ☐ 992 ☐ 993 ☐ 994 ☐ 995 ☐ 996 ☐ 997 ☐ 998 ☐ 999 ☐ 1000 ☐ 1001 ☐ 1002 ☐ 1003 ☐ 1004 ☐ 1005 ☐ 1006 ☐ 1007 ☐ 1008 ☐ 1009 ☐ 1010 ☐ 1011 ☐ 1012 ☐ 1013 ☐ 1014 ☐ 1015 ☐ 1016 ☐ 1017 ☐ 1018 ☐ 1019 ☐ 1020 ☐ 1021 ☐ 1022 ☐ 1023 ☐ 1024 ☐ 1025 ☐ 1026 ☐ 1027 ☐ 1028 ☐ 1029 ☐ 1030 ☐ 1031 ☐ 1032 ☐ 1033 ☐ 1034 ☐ 1035 ☐ 1036 ☐ 1037 ☐ 1038 ☐ 1039 ☐ 1040 ☐ 1041 ☐ 1042 ☐ 1043 ☐ 1044 ☐ 1045 ☐ 1046 ☐ 1047 ☐ 1048 ☐ 1049 ☐ 1050 ☐ 1051 ☐ 1052 ☐ 1053 ☐ 1054 ☐ 1055 ☐ 1056

Pace® Location Requested (City/State): **CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: **Orange-Ulster BOCES**
Street Address: **53 Gibson Road**
Goshen, NY 10924
Contact/Report to: **Maureen Doherty**
Phone #: **845-781-4887**
E-Mail: **Maureen.Doherty@oubooces.org**
CC E-Mail: **Halina.redner@oubooces.org**

Project Name: **Valley Central - Montgomery ES**
Site Collection Info/Facility ID (as applicable): **Montgomery ES**
Invoice to: **Halina Redner**
Invoice E-mail: **halina.redner@oubooces.org**
Purchase Order # (if applicable): **724-00300**
Quote #: **A25-00001**

Time Zone collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET
County / State origin of sample(s): **Orange County / New York**

Data Deliverables: ☐ Level II ☐ Level III ☐ Level IV
☐ EQUIS
☐ Other: _____
Regulatory Program (DW, RCRA, etc.) as applicable: ☒ DW
Rush (Pre-approval required): ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other: _____
Date Results: _____
Requester: _____
Analysis: ☐ Field Filtered (if applicable): ☐ Yes ☐ No
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (O), Wipe (W), Issue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cask (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix*	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
20 CU DF by 104	DW	G	6/6/2025	6:35	1				
21 Kitchen Island Sink	DW	G	6/6/2025	6:46	1				
22 Nurse BS 101	DW	G	6/6/2025	7:00	1				
23 Nurse 101 exam room sink	DW	G	6/6/2025	6:54	1				
24 CU BF by main office	DW	G	6/6/2025	6:56	1				
25 Kitchen pot filler	DW	G	6/6/2025	6:27	1				
26 CU DF by main office	DW	G	6/6/2025	6:57	1				
27 Main office sink	DW	G	6/6/2025	6:57	1				
28 CS 128	DW	G	6/6/2025	6:54	1				
29 by 127 BF	DW	G	6/6/2025	6:48	1				

Additional Instructions from Pace®:

Collected By: **MIKAYLA HIGGINS**
Printed Name
Signature

Relinquished by/Company (Signature): **MIKAYLA HIGGINS**
Date/Time: **6/6/2025 12:04**
Relinquished by/Company (Signature):
Date/Time:
Relinquished by/Company (Signature):
Date/Time:
Relinquished by/Company (Signature):
Date/Time:

MO# : 70359027
PM : FMN
CLIENT : NB-OU BOCES
Due Date : 06/20/25

Specify Container Size **	Identify Container Preservative Type**	Analysis Requested	Probi. Mgr.	ActiNum / Client ID:	Table #:	Profile / Template:	Presig. / Bottle and ID:	Sample Comment	Preservation non-conformance identified for sample.
3									
2									

Customer Remarks / Special Conditions / Possible Hazards:
Coolers: _____ Thermometer ID: _____ Correction Factor (C): _____ Obs. Temp (C): _____
Date/Time: **6/6/2024**
Tracing Number: **279**
Delivered by: ☐ In Person ☐ Courier
☐ FedEx ☐ UPS ☐ Other
Page: **3** of **7**

Company Name: Orange-Ulster BOCES
 Street Address: 53 Gibson Road
 Goshen, NY 10924

Contact/Report to: Maureen Doherty
 Phone #: 845-781-4887
 E-Mail: Maureen.Doherty@oubores.org
 CC E-Mail: Halina.redner@oubores.org

Customer Project #: Valley Central - Montgomery ES
 Site Collection Info/Facility ID (as applicable): Montgomery ES

Invoice to: Halina Redner
 Invoice E-mail: halina.redner@oubores.org
 Purchase Order # (if applicable): ~~A24-00300~~ A25-00001
 Quote #:

Time Zone Collected: ☐ AK ☐ PT ☐ MT ☐ CT ☒ ET
 County/State origin of sample(s): Orange County / New York

Data Deliverables: ☐ Level II ☐ Level III ☐ Level IV
☐ EQUIS
☐ Other: _____
 Regulatory Program (DW, RCRA, etc.) as applicable: ☒ ET
 Rush (Pre-approval required): ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day Other _____
 Date Results: _____
 Requested: _____
 Analysis: _____
 * Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WR), Tissue (TS), Biosolid (B), Vapor (V), Surface Water (SW), Sediment (SE), Sludge (SL), Crank (CK), Leachate (L), Biosolid (BS), Other (OT)

Reportable ☐ Yes ☐ No
 DW PWSID # or WW Permit # as applicable: _____
 Field Filtered (if applicable): ☐ Yes ☐ No

Customer Sample ID	Matrix*	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
39 CS 213	DW	G	6/6/2025	7:04	1				
40 CS 212	DW	G	6/6/2025	7:11	1				
41 CU BF cafeteria	DW	G	6/6/2025	5:42	1				
42 CS 209	DW	G	6/6/2025	7:12	1				
43 CS 207	DW	G	6/6/2025	7:15	1				
44 DF by 205	DW	G	6/6/2025	7:18	1				
45 CU DF Cafeteria	DW	G	6/6/2025	5:41	1				
46 CS 202	DW	G	6/6/2025	7:21	1				
	DW	G	6/6/2025		1				
	DW	G	6/6/2025		1				

Additional Instructions from Pace®:

Collected By: Mikayla Higgins
 Printed Name: Mikayla Higgins
 Signature: *Mikayla Higgins*

Relinquished by/Company: (Signature) *Mikayla Higgins* Date/Time: 6/6/25, 12:04
 Relinquished by/Company: (Signature) _____ Date/Time: _____
 Relinquished by/Company: (Signature) _____ Date/Time: _____
 Relinquished by/Company: (Signature) _____ Date/Time: _____

Customer Remarks / Special Conditions / Possible Hazards: _____
 # Coolers: _____ Thermometer ID: _____ Correction Factor (°C): _____ Obs. Temp. (°C): _____
 Date/Time: 6/6/2024
 Tracking Number: *2797*
 Delivered by: ☐ In Person ☐ Courier
☐ FedEx ☐ UPS ☐ Other
 Page: 5 of 7

MO#: 70359027
 PM: FMN Due Date: 06/20/25
 CLIENT: NB-OU BOCES

Specify Container Size: ☐ 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 50mL, (7) 25mL, (8) 10mL, (9) 5mL, (10) Other: _____
 Identify Container Preservative Type: ☐ None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sed. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other: _____
 Analysis Requested: _____

Lab Use Only
 ActNum / Client ID: _____
 Table #: _____
 Profile / Template: _____
 Priefig/Bottle Ord. ID: _____
 Sample Comment: _____
 Preservation non-conformance identified for sample: _____

PACE® Location Requested (City/State): **CHAM-OF-CUSTODY Analytical Request Document**
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES

Street Address:
53 Gibson Road
Goshen, NY 10924

Customer Project #:

Project Name:
Valley Central - Montgomery ES

Site Collection Info/Facility ID (as applicable):
Montgomery ES

County / State of origin of sample(s): Orange County / New York

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET ☒ EST
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other: _____
Rush (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day Other: _____
Date Results Requested: _____
Analysis: Field Filtered (if applicable): [] Yes [] No

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Waste (W), Tissue (TS), Biosolids (B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Cook (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
43 Custodial Office 1st Floor Sink	DW	G			6/6/2025	5:38	1		
48 CU BF by 121	DW	G			6/6/2025	5:43	1		
49 CU DF by 121	DW	G			6/6/2025	5:44	1		
50 CS 120	DW	G			6/6/2025	5:45	1		
51 B in 120	DW	G			6/6/2025	5:46	1		
52 CS 119	DW	G			6/6/2025	5:48	1		
53 CS 118	DW	G			6/6/2025	5:56	1		
54 Band Rm Sink	DW	G			6/6/2025	6:21	1		
55 CS 117	DW	G			6/6/2025	5:58	1		
56 CS 116	DW	G			6/6/2025	6:00	1		

Additional Instructions from Pace:

Collected By: **Mikayla Higgins**
Signature: *Mikayla Higgins*

Relinquished by/Company: (Signature) *Mikayla Higgins* Date/Time: **6/6/25, 12:04**
Relinquished by/Company: (Signature) _____ Date/Time: _____
Relinquished by/Company: (Signature) _____ Date/Time: _____
Relinquished by/Company: (Signature) _____ Date/Time: _____

W0# : 70359027
PM : FMN Due Date: 06/20/25
CLIENT : NB-OU BOCES

Specify Container Size**		***Container Size: (1) 1L, (2) 250mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) 10mL, (8) 5mL, (9) 1mL, (10) Other	
Identify Container Preservation Type**		***Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) 2n Acetic, (7) NaHSO4, (8) Sodium, (9) Ascorbic Acid, (10) MeOH, (11) Other	
Analysis Requested		Profil. Mgr. _____	
		Actinum / Client ID: _____	
		Table #: _____	
		Profile / Template: _____	
		Prefog / Bottle Ord. ID: _____	
		Sample Comment	
		Preservation non-conformance identified for sample.	

Receipt Form (SCUR)
WO#: 70359027

Project #
Client:

PM: FMN
Due Date: 06/20/25
CLIENT: NB-OU BOCES

Date and Initials of person:
Examining contents: _____
Label: _____
Deliver to location: _____
pH: _____

Thermometer Used: IRG4

Date: 6/6

Time: 1204

Initials: _____

State of Origin: NY

Cooler #1 Temp. °C 27.9 (Visual) 0.2 @ 0.0°C, -0.5 @ 20.0°C (Correction Factor) (Actual) ☒ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground
☐ Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No

Seals intact: ☐ Yes ☐ No

Ice: ☒ Wet ☐ Blue ☒ Melted ☐ None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Samples were collected by Pace employee ☐ Yes ☐ No ☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☐ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☐ Yes ☐ No ☒ N/A	Preservation Information: Preservative: _____ Lot #/Trace #: _____ Date: _____ Time: _____ Initials: _____
All Containers needing preservation are found to be in compliance with EPA recommendation:	☐ Yes ☐ No ☒ N/A	
Exceptions: Vials, Microbiology, O&G, Metals		
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution: